SAFETY DATA SHEET

Distributed by: Laguna Clay Company 14400 Lomitas Ave

1-800-4Laguna

info@lagunaclay.com

www.lagunaclay.com

City of Industry, CA 91746



1. Identification

Product identifier Snow White Filler

Other means of identification

SDS number 52000000114

Synonyms Filler

Recommended use Anhydrous Filler.

Use in accordance with manufacturer's recommendations. **Recommended restrictions**

Manufacturer/Importer/Supplier/Distributor information

Company name United States Gypsum Company

Address 550 West Adams Street

Chicago, Illinois 60661-3637

1-800-874-4968 **Telephone** Website www.usq.com 1-800-507-8899 **Emergency phone number**

2. Hazard(s) identification

Physical hazards Not classified. **Health hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements

None. Hazard symbol None. Signal word **Hazard statement** None.

Precautionary statement

Observe good industrial hygiene practices. Prevention Response Get medical attention/advice if you feel unwell.

Store as indicated in Section 7. Storage

Dispose of in accordance with local, state, and federal regulations. **Disposal**

Hazard(s) not otherwise

classified (HNOC)

None known.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Calcium sulfate, anhydrous	7778-18-9	> 95

4. First-aid measures

Dust irritates the respiratory system, and may cause coughing and difficulties in breathing. Move Inhalation

injured person into fresh air and keep person calm under observation. Get medical attention if

symptoms persist.

Skin contact Contact with dust: Rinse area with plenty of water. Get medical attention if irritation develops or

persists.

Dust in the eyes: Do not rub eyes. Flush thoroughly with water. If irritation occurs, get medical Eye contact

irritate throat and respiratory system and cause coughing.

assistance.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important Under normal conditions of intended use, this product is not expected to be a health risk. Dust may

symptoms/effects, acute and

Version #: 02

delayed

920367

Snow White Filler SDS US Issue date: 06-August-2014

800-452-4862 info@lagunaclay.com

Revision date: 23-February-2015

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically.

General information

Ensure that medical personnel are aware of the material(s) involved.

5. Fire-fighting measures

Suitable extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media

Not applicable.

Specific hazards arising from

the chemical

Not a fire hazard.

Special protective equipment and precautions for firefighters Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in

Fire fighting

Specific methods

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials.

Cool material exposed to heat with water spray and remove it if no risk is involved.

6. Accidental release measures

Personal precautions. protective equipment and emergency procedures

See Section 8 of the SDS for Personal Protective Equipment.

Methods and materials for containment and cleaning up Vacuum up the spilled material. Vacuums used for this purpose should be equipped with HEPA filters. Containers must be labeled. Collect in approved containers and seal securely. For waste

disposal, see Section 13 of the SDS.

Environmental precautions Avoid discharge to drains, sewers, and other water systems.

7. Handling and storage

Precautions for safe handling

Minimize dust production when mixing, or opening and closing bags. Avoid inhalation of dust. Wear appropriate personal protective equipment. Wash hands after handling. Observe good industrial hygiene practices and use appropriate lifting techniques.

Conditions for safe storage, including any incompatibilities Store in a cool, dry, well-ventilated place. Store away from incompatible materials. Avoid contact

with acids, water, and moisture.

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form	
Calcium sulfate, anhydrous (CAS 7778-18-9)	PEL	5 mg/m3	Respirable fraction.	_
,		15 mg/m3	Total dust.	

US. ACGIH Threshold Limit Values

Components	Туре	Value	Form
Calcium sulfate, anhydrous	TWA	10 mg/m3	Inhalable fraction.
(CAS 7778-18-9)		-	

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Туре	Value	Form
Calcium sulfate, anhydrous (CAS 7778-18-9)	TWA	5 mg/m3	Respirable.
(5.35.1.5.35.3)		10 mg/m3	Total

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

920367

Provide sufficient ventilation for operations causing dust formation. Observe occupational exposure limits and minimize the risk of exposure.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear approved safety goggles.

Version #: 02 Revision date: 23-February-2015

Snow White Filler SDS US 2/6 Issue date: 06-August-2014

Skin protection

Hand protection It is a good industrial hygiene practice to minimize skin contact. For prolonged or repeated skin

contact use suitable protective gloves.

Other Normal work clothing (long sleeved shirts and long pants) is recommended.

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Use a NIOSH/MSHA approved air purifying respirator as needed to control exposure. Consult with respirator manufacturer to determine respirator selection, use, and limitations. Use positive pressure, air-supplied respirator for uncontrolled releases or when air purifying respirator limitations may be exceeded. Follow respirator protection program requirements (OSHA 1910.134 and ANSI Z88.2) for all respirator

use.

Thermal hazards None.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment separately from regular wash. Observe any medical surveillance requirements.

9. Physical and chemical properties

Appearance

Physical stateSolid.FormPowder.

Color White to off-white.

Odor Low to no odor.

Odor threshold Not applicable.

pH 10.4

Melting point/freezing point Not applicable.

Not applicable.

Initial boiling point and boiling

range

Not applicable.

Flash point Not applicable.

Evaporation rate Not applicable.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not applicable.

Flammability limit - upper

(%)

Not applicable.

2.96 (H2O=1)

Revision date: 23-February-2015

Explosive limit - lower (%) Not applicable.

Explosive limit - upper (%) Not applicable.

Vapor pressure Not applicable.

Vapor density Not applicable.

Relative density Solubility(ies)

Solubility (water)

Version #: 02

0.15 - 0.4 g/100 g (H2O)

Partition coefficient

nt Not applicable.

(n-octanol/water)

Auto-ignition temperature Not applicable.

Decomposition temperature 2642 °F (1450 °C)

Viscosity Not applicable.

Other information

920367

Bulk density 55 - 70 lb/ft³
Particle size Varies.

VOC (Weight %) 0 %

Snow White Filler SDS US

Issue date: 06-August-2014

3/6

10. Stability and reactivity

Reactivity Not available.

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Contact with incompatible materials. Exposure to moisture. Conditions to avoid

Incompatible materials Strong oxidizing agents. Strong acids.

Hazardous decomposition

products

Calcium oxides, carbon dioxide, and carbon monoxide.

11. Toxicological information

Information on likely routes of exposure

Inhalation Airborne dust may irritate throat and upper respiratory system causing coughing.

Causes mild skin irritation. Skin contact

Eye contact Direct contact with airborne particulates may cause temporary irritation.

Ingestion Ingestion may cause irritation and stomach discomfort.

Symptoms related to the physical, chemical and toxicological characteristics Dust may irritate eyes and mucous membranes of the nose, throat and upper respiratory system

causing sneezing and/or coughing.

Information on toxicological effects

Acute toxicity Not expected to be a hazard under normal conditions of intended use.

Causes mild skin irritation. Skin corrosion/irritation

Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Not expected to cause respiratory sensitization based on non-skin sensitization history. Respiratory sensitization

Skin sensitization Not a skin sensitizer.

Germ cell mutagenicity No evidence of mutagenicty found in Ames bacterial tests.

This material is not classified as a carcinogen by IARC, ACGIH, NTP or OSHA. Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity Not expected to be a reproductive hazard.

Specific target organ toxicity -

single exposure

920367

No data available, but none expected.

Specific target organ toxicity -

repeated exposure

No data available, but none expected.

Aspiration hazard Due to the physical form of the product it is not an aspiration hazard.

Chronic effects No other specific acute or chronic health impact noted.

12. Ecological information

The product components are not classified as environmentally hazardous. However, this does not **Ecotoxicity**

exclude the possibility that large or frequent spills can have a harmful or damaging effect on the

4/6

environment.

Calcium sulfate dissolves in water forming calcium and sulfate ions. Persistence and degradability

Bioaccumulative potential Bioaccumulation is not expected.

No data available. Mobility in soil Other adverse effects None expected.

13. Disposal considerations

Version #: 02

Disposal instructions Dispose in accordance with applicable federal, state, and local regulations. Recycle responsibly.

Dispose of in accordance with local regulations. Local disposal regulations

Revision date: 23-February-2015

Hazardous waste code Not regulated.

Snow White Filler SDS US Issue date: 06-August-2014

www.Lagunaclay.com

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging

Dispose of in accordance with local regulations.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and Not applicable. This product is a solid. Therefore, bulk transport is governed by IMSBC code.

the IBC Code

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard 29 CFR 1910.1200 (OSHA) and 8 CCR § 5194 (Cal/OSHA).

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Nο

Immediate Hazard - No **Hazard categories**

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

920367

US state regulations

US. Massachusetts RTK - Substance List

Calcium sulfate, anhydrous (CAS 7778-18-9)

US. New Jersey Worker and Community Right-to-Know Act

Calcium sulfate, anhydrous (CAS 7778-18-9)

US. Pennsylvania Worker and Community Right-to-Know Law

Calcium sulfate, anhydrous (CAS 7778-18-9)

US. Rhode Island RTK

Not regulated.

Version #: 02

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Crystalline silica (Quartz) (CAS 14808-60-7)

Snow White Filler SDS US Issue date: 06-August-2014

5/6

country(s).

Country(s) or region Inventory name On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

16. Other information, including date of preparation or last revision

06-August-2014 Issue date **Revision date** 23-February-2015

Version #

Further information NFPA Ratings:

Health: 1 Flammability: 0 Physical hazard: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

NFPA ratings



Disclaimer This information is provided without warranty. The information is believed to be correct. This

information should be used to make an independent determination of the methods to safeguard

workers and the environment.



www.Lagunaclay.com

Distributed by: Laguna Clay Company 14400 Lomitas Ave City of Industry, CA 91746 1-800-4Laguna info@lagunaclay.com www.lagunaclay.com

info@lagunaclay.com

6/6

Snow White Filler SDS US

920367 Version #: 02 Revision date: 23-February-2015 Issue date: 06-August-2014 800-452-4862